Available online at www.sciencedirect.com
ScienceDirect
Forest Ecology and Management 237 (2006) v–vii
Forest Ecology and Management
www.elsevier.com/locate/foreco

Contents

Review

Systematic review of short-term growth responses of semi-mature black spruce and jack pine stands to nitrogen-based fertilization treatments
P.F. Newton (Sault Ste. Marie, Canada) and I.G. Amponsah (Edmonton, Canada) 1

Regular articles

Hardwood recruitment into conifer plantations in Japan: Effects of thinning and distance from neighboring hardwood forests
E. Utsugi, H. Kanno, N. Ueno, M. Tomita, T. Saitoh, M. Kimura, K. Kanou and K. Seiwa (Miyagi, Japan) 15

Temporal variations and distribution of carbon stocks in aboveground biomass of radiata pine and maritime pine pure stands under different silvicultural alternatives
M.Á. Balboa-Murias, R. Rodríguez-Soalleiro, A. Merino and J.G. Álvarez-González (Lugo, Spain) 29

The ameliorative effects of pine cultures on forest sites on the island of Rab in Southwest Croatia
D. Barčić, V. Hršak and Ž. Španjol (Zagreb, Croatia) 39

Changes in humus forms and soil animal communities in two developmental phases of Norway spruce on an acidic substrate
S. Salmon, J. Mantel (Brunoy, France), L. Frizzera (Viote Monte Bondone, Italy and Legnaro, Italy) and A. Zanella (Legnaro, Italy) 47

Landscape and climatic controls on spatial and temporal variation in soil CO_2 efflux in an Eastern Amazonian Rainforest, Caxiuanã, Brazil
E.D. Sotta, E. Veldkamp (Göttingen, Germany), B.R. Guimarães, R.K. Paixão, M.L.P. Ruivo and S.S. Almeida (Belém, Brazil) 57

Effect of forest management on future carbon pools and fluxes: A model comparison
S. Schmid (Zürich, Switzerland), E. Thürig, E. Kaufmann, H. Lischke (Birmensdorf, Switzerland) and H. Bugmann (Zürich, Switzerland) 65

A comparison of damage due to logging under different forms of resource access in East Kalimantan, Indonesia
H. Iskandar, L.K. Snook, T. Toma, K.G. MacDicken and M. Kanninen (Jakarta, Indonesia) 83

Soil respiration responses to topography, canopy cover, and prescribed burning in an oak-hickory forest in southeastern Ohio
D.R. McCarthy and K.J. Brown (Athens, OH, USA) 94

Spatio-temporal availability of soft mast in clearcuts in the Southern Appalachians
M.J. Reynolds-Hogland, M.S. Mitchell (Auburn, AL, USA) and R.A. Powell (Raleigh, NC, USA) 103

Wild bamboo stands fail to compensate for a heavy 1-year harvest of culm shoots
D.C. Franklin (Northern Territory, Australia) 115

Genetic diversity and genetic structure of adult and buried seed populations of *Betula maximowicziana* in mixed and post-fire stands
K. Uchiyama (Tokyo, Japan), S. Goto (Hokkaido, Japan), Y. Tsuda (Tokyo, Japan and Ibaraki, Japan), Y. Takahashi (Hokkaido, Japan) and Y. Ide (Tokyo, Japan) 119

Soil $\delta^{15}N$ and nutrients under exotic tree plantations in the southwestern Ethiopian highlands
B. Lemma (Shashemene, Ethiopia and Uppsala, Sweden) and M. Olsson (Uppsala, Sweden) 127

Depth-related fine root dynamics of *Fagus sylvatica* during exceptional drought
R. Mainiero and M. Kazda (Ulm, Germany) 135

Greenhouse gas fluxes of coniferous forest floors as affected by wood ash addition
M. Maljanen, H. Nykänen (Kuopio, Finland), M. Moilanen (Muhos, Finland) and P.J. Martikainen (Kuopio, Finland) 143

The role of a root cutting's diameter and location on the regeneration ability of hybrid aspen
N. Stenvall, T. Haapala and P. Pulkkinen (Vantaa, Finland) 150

Foliar colour as indicator of nutrient status of Scots pine (*Pinus sylvestris* L.) on peatlands
J. Hytönen and A. Wall (Kannus, Finland) 156

Influence of hurricane Lothar on red and roe deer winter diets in the Northern Vosges, France
D. Storms, S. Said (Bar le Duc, France), H. Fritz (Beauvoir-sur-Niort, France), J.-L. Hamann, C. Saint-Andrieux and F. Klein (Bar le Duc, France) 164

Rainfall partitioning in relation to forest structure in differently managed montane forest stands in Central Sulawesi, Indonesia
J. Dietz, D. Hölscher, C. Leuschner (Göttingen, Germany) and Hendrayanto (Bogor, Indonesia) 170

Autocorrelated growth of tropical forest trees: Unraveling patterns and quantifying consequences
R.J.W. Brienen, P.A. Zuidema (Utrecht, The Netherlands and Riberalta, Bolivia) and H.J. During (Utrecht, The Netherlands) 179

Effects of liming and fertilization on tree growth and nutrient cycling in a Scots pine ecosystem in Norway
I. Røsberg, J. Frank and A.O. Stuanes (Aas, Norway) 191

The challenge of combining timber production and biodiversity conservation for long-term ecosystem functioning—A case study of Swedish boreal forestry
S. Eriksson (Huddinge, Sweden and Stockholm, Sweden) and M. Hammer (Huddinge, Sweden) 208

Physiological and transplanting performance of *Quercus ilex* L. (holm oak) seedlings grown in nurseries with different winter conditions
S. Mollá (Guadalajara, Spain and Valencia, Spain), P. Villar-Salvador (Guadalajara, Spain), P. García-Fayos (Valencia, Spain) and J.L. Peñuelas Rubira (Guadalajara, Spain) 218

Effects of forestry practices on relict plant species on limestone cliffs in the northern Swiss Jura mountains
S.W. Müller, H.-P. Rusterholz and B. Baur (Basel, Switzerland) 227
Effects of liming, sod-cutting and fertilization at ambient and decreased nitrogen deposition on the soil solution chemistry in a Scots pine forest in the Netherlands
A.W. Boxman and J.G.M. Roelofs (Nijmegen, The Netherlands) 237
Domestication of *Allanblackia floribunda*: Amenability to vegetative propagation
A.R. Atangana (Yaoundé, Cameroon and Sainte Foy, Canada), Z. Tchoundjeu, E.K. Asaah (Yaoundé, Cameroon), A.J. Simons (Nairobi, Kenya) and D.P. Khasa (Sainte-Foy, Canada) 246
Application of BIOME-BGC model to managed forests. 2. Comparison with long-term observations of stand production for major tree species
E. Cienciala and F.A. Tatarinov (Jílové u Prahy, Czech Republic) 252
Application of BIOME-BGC model to managed forests. 1. Sensitivity analysis
F.A. Tatarinov and E. Cienciala (Jílové u Prahy, Czech Republic) 267
The soil seedbank of a lowland conifer forest: The impacts of clear-fell management and implications for heathland restoration
A.E. Eycott, A.R. Watkinson and P.M. Dolman (Norwich, UK) 280
The contribution of open spaces to the maintenance of hoverfly (Diptera, Syrphidae) biodiversity in Irish plantation forests
T. Gittings, J. O'Halloran, T. Kelly and P.S. Giller (Cork, Ireland) 290
Establishing mixed forests in Sweden by combining planting and natural regeneration—Effects of shelterwoods and scarification
U. Nilsson (Alnarp, Sweden), G. Örlander (Växjö, Sweden) and M. Karlsson (Alnarp, Sweden) 301
Nutritional status and growth of a young *Pseudotsuga menziesii* plantation in a temperate region after application of wood-bark ash
F. Solla-Gullón, M. Santalla, R.J. Rodríguez-Soalleiro and A. Merino (Lugo, Spain) 312
Areas of rapid forest-cover change in boreal Eurasia
F. Achard (Ispra, Italy), D. Mollicone (Ispra, Italy and Jena, Germany), H.-J. Stibig (Ispra, Italy), D. Aksenov (Moscow, Russia), L. Laestadius (Washington, DC, USA), Z. Li (Beijing, China), P. Popatov and A. Yaroshenko (Moscow, Russia) 322
Beetle attraction to sporocarps and wood infected with mycelia of decay fungi in old-growth spruce forests of northern Sweden
T. Johansson, J. Olsson, J. Hjältén (Umeå, Sweden), B.G. Jonsson (Sundsvall, Sweden) and L. Ericson (Umeå, Sweden) 335
Influence of site characteristics and thinning intensity on litterfall production in two *Pinus sylvestris* L. forests in the western Pyrenees
J.A. Blanco, J.B. Imbert and F.J. Castillo (Navarra, Spain) 342
Intensive game keeping, coppicing and butterflies: The story of Milovicky Wood, Czech Republic
J. Benes, O. Cizek (Ceske Budejovice, Czech Republic), J. Dovala (Chabicov, Czech Republic) and M. Konvicka (Ceske Budejovice, Czech Republic) 353
Mycorrhizal fungal diversity in willow forests of different age along the river Waal, The Netherlands
I. Parádi (Budapest, Hungary) and J. Baar (Horst, The Netherlands) 366
Direct seeding of ash (*Fraxinus excelsior* L.) and sycamore (*Acer pseudoplatanus* L.): The effects of sowing date, pre-emergent herbicides, cultivation, and protection on seedling emergence and survival
R.L. Jinks, I. Willoughby and C. Baker (Surrey, UK) 373
Timing of bud burst and tree-leaf development in a multispecies temperate forest
T. Wesołowski (Wrocław, Poland) and P. Rowiński (Warszawa, Poland) 387
Potential use of leaf carbon isotope discrimination for the selection of shade-tolerant species
S. Kennedy, Á.N. Dhubháin, J. Ferguson, O. Schmidt (Dublin, Ireland), J. Dyckmans (Göttingen, Germany), B. Osborne and K. Black (Dublin, Ireland) 394
The influence of open space on ground-dwelling spider assemblages within plantation forests
A.G. Oxbrough, T. Gittings, J. O'Halloran, P.S. Giller and T.C. Kelly (Cork, Ireland) 404
Effects of fire exclusion on forest structure and composition in unlogged ponderosa pine/Douglas-fir forests
E.G. Keeling, A. Sala and T.H. DeLuca (Missoula, MT, USA) 418
Site index functions for *Cupressus lusitanica* at Munesa Shashemene, Ethiopia
N. Mamo (Addis Ababa, Ethiopia) and H. Sterba (Vienna, Austria) 429
Traditional forest management: Do carabid beetles respond to human-created vegetation structures in an oak mosaic landscape?
A. Taboada (León, Spain), D.J. Kotze (Finland), R. Tárrega and J.M. Salgado (León, Spain) 436
Relations between forest management and slug assemblages (Gastropoda) of deciduous regrowth forests
H. Kappes (Köln, Germany) 450
Long-term effects of nitrogen fertilization on ground vegetation in coniferous forests
B.A. Olsson (Uppsala, Sweden) and O. Kellner (Gävle, Sweden) 458
Safe for saplings; safe for seeds?
C. Smit, M. Gusberti and H. Müller-Schärer (Fribourg, Switzerland) 471
The initial effects of afforestation on the ground-dwelling spider fauna of Irish peatlands and grasslands
A.G. Oxbrough, T. Gittings, J. O'Halloran, P.S. Giller and T.C. Kelly (Cork, Ireland) 478
Delayed succession from alpine grassland to savannah with upright pine: Limitation by ectomycorrhiza formation?
V. Wiemken and T. Boller (Basel, Switzerland) 492
Assessing suitability for selective cutting using a stand level index
N.L. Lexerød and T. Eid (Ås, Norway) 503
Wood density of Norway spruce: Responses to timing and intensity of first commercial thinning and fertilisation
T. Jaakkola, H. Mäkinen and P. Saranpää (Vantaa, Finland) 513
A new empirical approach for estimation in *k*-tree sampling
C. Kleinn and F. Vilčko (Göttingen, Germany) 522
Summer planting of *Picea abies* container-grown seedlings: Effects of planting date on survival, height growth and root egress
J. Luoranen, R. Rikala, K. Konttinen and H. Smolander (Suonenjoki, Finland) 534
Modelling water balance and nitrate leaching in temperate Norway spruce and beech forests located on the same soil type with the CoupModel
J.R. Christiansen, B. Elberling (Copenhagen, Denmark) and P.-E. Jansson (Stockholm, Sweden) 545

Use of cotton gin trash to enhance denitrification in restored forested wetlands
S. Ullah (Baton Rouge, LA, USA) and S.P. Faulkner (Lafayette, LA, USA) 557
Efficient floristic inventory for the assessment of tropical tree diversity: A comparative test of four alternative approaches
J.E. Gordon (Coral Gables, FL, USA) and A.C. Newton (Dorset, UK) 564
Regeneration of native plant species in restored forests on degraded lands in Singapore
K. Shono, S.J. Davies (Nanyang Walk, Singapore) and C.Y. Kheng (Singapore) 574
Towards a functional and simplified allometry for estimating forest biomass
R. Pilli, T. Anfodillo and M. Carrer (Legnaro, Italy) 583